

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 28/11/2022 Revision date: 28/11/2022 Supersedes version of: 03/06/2021 Version: 10.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Artists', craft and hobby paints

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Colart France  
Zone Industrielle Nord 5 Rue René Panhard, +33 2 43 83 83 00  
Le Mans  
France  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Other

Colart International Holdings LTD  
The MediaWorks Building  
191 Wood Lane  
GB- W12 7FP London – London  
United Kingdom  
T 02084243200  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Supplier

COLART UK LTD  
Goldthorn Road  
DY11 7JN Kidderminster – Worcestershire  
United Kingdom  
T +44 (0) 2084243200  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Manufacturer

Colart France  
Zone Industrielle Nord 5 Rue René Panhard, +33 2 43 83 83 00  
Le Mans  
France  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +33 2 43 83 83 00 (Monday- Thursday: 8:00-12:00 13:30-16:00 , Friday: 8:00-12:00 CET  
Language French); (+44) 2084243200 Monday-Friday: 9:00-17:00 GMT Language English)

| Country        | Organisation/Company                                                         | Address                                  | Emergency number                                                                                       | Comment |
|----------------|------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------------------------------------------|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                     | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH Birmingham        | 0344 892 0111                                                                                          |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

H226

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific target organ toxicity – Single exposure, Category 3, Narcosis H336  
Specific target organ toxicity – Repeated exposure, Category 2 H373  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412  
Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS08

Signal word (CLP)

: Danger

Contains

: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics, STODDARD SOLVENT

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.  
H304 - May be fatal if swallowed and enters airways.  
H336 - May cause drowsiness or dizziness.  
H373 - May cause damage to organs through prolonged or repeated exposure.  
H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP)  
: P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, open flames, sparks. – No smoking.  
P261 - Avoid breathing spray, vapours.  
P301+P310+P331 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER. Do NOT induce vomiting.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Child-resistant fastening

: Applicable

Tactile warning

: Applicable

## 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                                                                                        | Product identifier                                                                                   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------|
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics<br>substance with a Community workplace exposure limit | CAS-No.: 64742-48-9<br>EC-No.: 919-857-5<br>EC Index-No.: 649-327-00-6<br>REACH-no: 01-2119463258-33 | 50 – 80 | Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>STOT SE 3, H336      |

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name             | Product identifier                      | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                   |
|------------------|-----------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| STODDARD SOLVENT | CAS-No.: 8052-41-3<br>EC-No.: 232-489-3 | 5 – 10  | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>STOT RE 1, H372<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412                                      |
| NONANE           | CAS-No.: 111-84-2<br>EC-No.: 203-913-4  | 0.1 – 1 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 3, H412             |
| Toluene          | CAS-No.: 108-88-3<br>EC-No.: 203-625-9  | < 1     | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Repr. 2, H361d<br>STOT SE 3, H336<br>STOT RE 2, H373<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |                                                                                                                                   |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.                  |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.                 |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.                         |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.                                                   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                   |                                                                   |
|-----------------------------------|-------------------------------------------------------------------|
| Symptoms/effects                  | : Causes damage to organs through prolonged or repeated exposure. |
| Symptoms/effects after inhalation | : May cause drowsiness or dizziness.                              |
| Symptoms/effects after ingestion  | : May be fatal if swallowed and enters airways.                   |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.        |

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

|                           |                                                     |
|---------------------------|-----------------------------------------------------|
| Firefighting instructions | : Exercise caution when fighting any chemical fire. |
|---------------------------|-----------------------------------------------------|

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

Refer to section 1.2.1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)

#### EU - Indicative Occupational Exposure Limit (IOEL)

|                |                       |
|----------------|-----------------------|
| Local name     | White spirit Type 3   |
| IOEL TWA [ppm] | 20 ppm                |
| IOEL STEL      | 290 mg/m <sup>3</sup> |

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9) |                               |
|-----------------------------------------------------------------------------------|-------------------------------|
| IOEL STEL [ppm]                                                                   | 50 ppm                        |
| Remark                                                                            | Skin. (Year of adoption 2007) |
| Regulatory reference                                                              | SCOEL Recommendations         |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Avoid all unnecessary exposure.

**Personal protective equipment symbol(s):**



#### 8.2.2.1. Eye and face protection

**Eye protection:**

Avoid contact with eyes. Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

**Hand protection:**

Nitrile-rubber protective gloves

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**

Work in a well-ventilated area. No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Other information:**

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                   |
|-----------------|-------------------|
| Physical state  | : Liquid          |
| Colour          | : brown.          |
| Appearance      | : Liquid.         |
| Odour           | : characteristic. |
| Odour threshold | : Not available   |

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                 |                            |
|-------------------------------------------------|----------------------------|
| Melting point                                   | : Not available            |
| Freezing point                                  | : Not available            |
| Boiling point                                   | : Not available            |
| Flammability                                    | : Not available            |
| Explosive limits                                | : Not available            |
| Lower explosive limit (LEL)                     | : Not available            |
| Upper explosive limit (UEL)                     | : Not available            |
| Flash point                                     | : 38 °C                    |
| Auto-ignition temperature                       | : Not available            |
| Decomposition temperature                       | : Not available            |
| pH                                              | : Not available            |
| Viscosity, kinematic                            | : 3.346 mm <sup>2</sup> /s |
| Solubility                                      | : Not available            |
| Partition coefficient n-octanol/water (Log Kow) | : Not available            |
| Vapour pressure                                 | : Not available            |
| Vapour pressure at 50°C                         | : Not available            |
| Density                                         | : Not available            |
| Relative density                                | : Not available            |
| Relative vapour density at 20°C                 | : Not available            |
| Particle size                                   | : Not applicable           |
| Particle size distribution                      | : Not applicable           |
| Particle shape                                  | : Not applicable           |
| Particle aspect ratio                           | : Not applicable           |
| Particle aggregation state                      | : Not applicable           |
| Particle agglomeration state                    | : Not applicable           |
| Particle specific surface area                  | : Not applicable           |
| Particle dustiness                              | : Not applicable           |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0.1851 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9) |                                                                                               |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| LD50 oral rat                                                                     | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)      |
| LD50 dermal rat                                                                   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)    |
| LD50 dermal rabbit                                                                | ≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

| Toluene (108-88-3) |                                                                                                                            |
|--------------------|----------------------------------------------------------------------------------------------------------------------------|
| LD50 oral rat      | 5580 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.1 (Acute Toxicity (Oral)), 95% CL: 5300 - 5910 |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 9,63 - 20,77                                             |

Skin corrosion/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Serious eye damage/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Respiratory or skin sensitisation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Germ cell mutagenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Reproductive toxicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-single exposure : May cause drowsiness or dizziness.

| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9) |                                    |
|-----------------------------------------------------------------------------------|------------------------------------|
| STOT-single exposure                                                              | May cause drowsiness or dizziness. |

| Toluene (108-88-3)   |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |

| NONANE (111-84-2)    |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

| Toluene (108-88-3)                       |                                                                                                                                                    |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| LOAEL (oral, rat, 90 days)               | 1250 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (oral, rat, 90 days)               | 625 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)  |
| NOAEC (inhalation, rat, vapour, 90 days) | 2.355 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity: 90-Day Study)                                              |
| STOT-repeated exposure                   | May cause damage to organs through prolonged or repeated exposure.                                                                                 |

| STODDARD SOLVENT (8052-41-3) |                                                                 |
|------------------------------|-----------------------------------------------------------------|
| STOT-repeated exposure       | Causes damage to organs through prolonged or repeated exposure. |

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : May be fatal if swallowed and enters airways.

### LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

|                      |             |
|----------------------|-------------|
| Viscosity, kinematic | 3.346 mm²/s |
|----------------------|-------------|

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

#### Toluene (108-88-3)

|                   |                                                                           |
|-------------------|---------------------------------------------------------------------------|
| LC50 - Fish [1]   | 5.5 mg/l Test organisms (species): Oncorhynchus kisutch                   |
| LOEC (chronic)    | 2.76 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'    |
| NOEC (chronic)    | 0.74 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'    |
| NOEC chronic fish | 1.39 mg/l Test organisms (species): Oncorhynchus kisutch Duration: '40 d' |

### 12.2. Persistence and degradability

#### LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

|                               |                                                         |
|-------------------------------|---------------------------------------------------------|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---------------------------------------------------------|

### 12.3. Bioaccumulative potential

#### LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN

| ADR                                                                                 | IMDG                                                                                | IATA                                                                                | ADN                                                                                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>14.1. UN number or ID number</b>                                                 |                                                                                     |                                                                                     |                                                                                       |
| UN 1263                                                                             | UN 1263                                                                             | UN 1263                                                                             | UN 1263                                                                               |
| <b>14.2. UN proper shipping name</b>                                                |                                                                                     |                                                                                     |                                                                                       |
| PAINT RELATED MATERIAL                                                              | PAINT RELATED MATERIAL                                                              | Paint                                                                               | PAINT RELATED MATERIAL                                                                |
| <b>Transport document description</b>                                               |                                                                                     |                                                                                     |                                                                                       |
| UN 1263 PAINT RELATED MATERIAL, 3, III, (D/E)                                       | UN 1263 PAINT RELATED MATERIAL, 3, III                                              | UN 1263 Paint, 3, III                                                               | UN 1263 PAINT RELATED MATERIAL, 3, III                                                |
| <b>14.3. Transport hazard class(es)</b>                                             |                                                                                     |                                                                                     |                                                                                       |
| 3                                                                                   | 3                                                                                   | 3                                                                                   | 3                                                                                     |
|  |  |  |  |
| <b>14.4. Packing group</b>                                                          |                                                                                     |                                                                                     |                                                                                       |
| III                                                                                 | III                                                                                 | III                                                                                 | III                                                                                   |
| <b>14.5. Environmental hazards</b>                                                  |                                                                                     |                                                                                     |                                                                                       |
| Dangerous for the environment: No                                                   | Dangerous for the environment: No<br>Marine pollutant: No                           | Dangerous for the environment: No                                                   | Dangerous for the environment: No                                                     |
| No supplementary information available                                              |                                                                                     |                                                                                     |                                                                                       |

#### 14.6. Special precautions for user

##### Overland transport


- Classification code (ADR) : F1
- Special provisions (ADR) : 163, 367, 650
- Limited quantities (ADR) : 5I
- Excepted quantities (ADR) : E1
- Packing instructions (ADR) : P001, IBC03, LP01, R001
- Special packing provisions (ADR) : PP1
- Mixed packing provisions (ADR) : MP19
- Portable tank and bulk container instructions (ADR) : T2
- Portable tank and bulk container special provisions (ADR) : TP1, TP29
- Tank code (ADR) : LGBF
- Vehicle for tank carriage : FL
- Transport category (ADR) : 3
- Special provisions for carriage - Packages (ADR) : V12
- Special provisions for carriage - Operation (ADR) : S2

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (Kemler No.) : 30  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : •3YE

### Transport by sea

Special provisions (IMDG) : 163, 223, 367, 955  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-E  
Stowage category (IMDG) : A  
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A3, A72, A192  
ERG code (IATA) : 3L

### Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 163, 367, 650  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01  
Number of blue cones/lights (ADN) : 0

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)  
Contains no substance(s) listed on the REACH Candidate List  
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)  
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)  
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)  
Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)  
VOC content : 0.1851 %

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

| France                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Occupational diseases |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Code                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| RG 4 BIS              | Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them                                                                                                                                                                                                                                                                                                                                                                                           |
| RG 84                 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : STODDARD SOLVENT is listed  
SZW-lijst van mutagene stoffen : STODDARD SOLVENT is listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : Toluene is listed

#### Denmark

Class for fire hazard : Class II-1  
Store unit : 5 liter  
Classification remarks : R10 <H226;H304;H336;H373;H412>; Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### Switzerland

Storage class (LK) : LK 3 - Flammable liquids  
CH - VOC (SR 814.018) : 68.816012303688182 %

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.  
Other information : None.

| Full text of H- and EUH-statements: |                                                                   |
|-------------------------------------|-------------------------------------------------------------------|
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 3                   | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                     |
| Flam. Liq. 2                        | Flammable liquids, Category 2                                     |
| Flam. Liq. 3                        | Flammable liquids, Category 3                                     |
| H225                                | Highly flammable liquid and vapour.                               |
| H226                                | Flammable liquid and vapour.                                      |

# LEFRANC BOURGEOIS JG VIBERT RETOUCHING VARNISH

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

|               |                                                                        |
|---------------|------------------------------------------------------------------------|
| H304          | May be fatal if swallowed and enters airways.                          |
| H315          | Causes skin irritation.                                                |
| H336          | May cause drowsiness or dizziness.                                     |
| H361d         | Suspected of damaging the unborn child.                                |
| H372          | Causes damage to organs through prolonged or repeated exposure.        |
| H373          | May cause damage to organs through prolonged or repeated exposure.     |
| H400          | Very toxic to aquatic life.                                            |
| H412          | Harmful to aquatic life with long lasting effects.                     |
| Repr. 2       | Reproductive toxicity, Category 2                                      |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2                                  |
| STOT RE 1     | Specific target organ toxicity – Repeated exposure, Category 1         |
| STOT RE 2     | Specific target organ toxicity – Repeated exposure, Category 2         |
| STOT SE 3     | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                   |      |                       |
|-------------------|------|-----------------------|
| Flam. Liq. 3      | H226 | On basis of test data |
| STOT SE 3         | H336 | Calculation method    |
| STOT RE 2         | H373 | Calculation method    |
| Asp. Tox. 1       | H304 | Calculation method    |
| Aquatic Chronic 3 | H412 |                       |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.