

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.
 Issue date: 02/04/2025 Revision date: 02/04/2025 Supersedes: 11/18/2024 Version: 7.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : WINSOR & NEWTON ARTISTS' OIL COLOUR

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Artists', craft and hobby paints
 Recommended use : Consumer uses: Private households (= general public = consumers), Artists', craft and hobby paints

1.3. Supplier

Distributor

ColArt Americas Inc.
 2 Corporate Place South, Piscataway
 New Jersey, USA
 NJ 08854
 T +888-422-7954
r.enquiries@colart.co.uk

Manufacturer

Colart Le Mans SAS
 5, rue René Panhard, CS 82120
 Z.I. Nord, 72021 Le Mans Cedex 2
 T: +33 2 43 83 83 00
 F: +33 2 43 83 83 09
r.enquiries@colart.co.uk

1.4. Emergency telephone number

Emergency number : +1-888-422-7954

SECTION 2: Hazard(s) identification

2.1. Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act.

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Please note that the label may also contain other regional/national labelling text.

SECTION 3: Composition/Information on ingredients

3.2. Mixtures

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Hazardous ingredients are identified in section 15.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
 First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
 First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
 First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
 First-aid measures after ingestion : Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.

Please see section 15 labelling requirements for additional information

4.2. Most important symptoms and effects (acute and delayed)

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on potential symptoms.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information : There exist no exposure limits for this material

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Avoid contact with skin

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

Eye protection:

Avoid contact with eyes

Respiratory protection:

No respiratory protection needed under normal use conditions

Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
	: Various colours
Odor	: characteristic
Odor threshold	: No data available
pH	: 6 - 8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 300 °C
Flash point	: > 230 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1 – 2.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on toxicological effects.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

WINSOR & NEWTON ARTISTS' OIL COLOUR

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

WINSOR & NEWTON ARTISTS' OIL COLOUR

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:

All colors have been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects.

The following colors have been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the AP

(Approved Product) Seal, meaning this bears no chronic or acute human health hazard: Alizarin Crimson, Bismuth Yellow, Blue Black, Bright Red, Brown Ochre, Charcoal Grey, Chrome Green Deep Hue, Cobalt Chromite Green, Copper, Davy's Gray, Flake White Hue, Gold Ochre, Indian Red, Indian Yellow, Indian Yellow Deep, Indanthrene Blue, Indigo, Lamp Black, Light Red, Manganese Blue Hue, Magenta, Mars Black, Mars Violet Deep, Mauve Blue Shade, Ruby Madder Alizarin, Mineral Green Deep, Warm Brown Pink, Oriental Blue, Naples Yellow Deep, Oxide Of Chromium, Payne's Gray, Permanent Carmine, Permanent Magenta, Permanent Mauve, Perylene Black, Phthalo Turquoise, Prussian Blue, Prussian Green, Purple Madder, Purple Lake, Quinacridone Red, Raw Sienna, Raw Umber Light, Raw Umber (Green Shade), Rose Dore, Scarlet Lake, Silver, Terra Rosa, Terre Verte, Transparent Gold Ochre, Transparent Red Ochre, Transparent Brown Oxide, Transparent Orange, Transparent Yellow, Transparent Maroon, Ultramarine Violet, Venetian Red, Smalt (Dumont's Blue), Winsor Green (Phthalo), Winsor Green (Yellow Shade), Winsor Red Deep, Winsor Violet (Dioxazine), Yellow Ochre Light, Yellow Ochre Pale, Cadmium-Free Yellow, Cadmium-Free Yellow Deep, Cadmium-Free Green Pale, Cadmium-Free Lemon, Cadmium-Free Orange, Cadmium-Free Red, Cadmium-Free Scarlet, Cadmium-Free Yellow Pale, Burnt Sienna, Burnt Umber, Cerulean Blue, Chrome Yellow Hue, French Ultramarine, Green Gold, Ivory Black, Winsor Yellow, Orange Laque Mineral, Olive Green, Permanent Alizarin Crimson, Permanent Rose, Quinacridone Magenta, Raw Umber, Sap Green, Ultramarine (Green Shade), Winsor Blue (Red Shade), Winsor Blue (Green Shade), Winsor Lemon, Winsor Orange, Winsor Red, Yellow Ochre, Vandyke Brown.

Labelling for BURNT UMBER, LEMON YELLOW HUE, BROWN MADDER: **For USA Only. WARNING:** This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm



The following colors have been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the CL

(Caution Label) Seal: Cobalt Blue Deep, Titanium White, Zinc White, Winsor Emerald, Underpainting White, Naples Yellow, Cobalt Violet, Rose Madder Genuine,

Labelling Text for COBALT BLUE DEEP: **WARNING:** MAY BE HARMFUL IF SWALLOWED. SKIN CONTACT MAY CAUSE ALLERGIC SKIN RASHES. Contains: COBALT. Avoid prolonged skin contact. Wash hands immediately after use. KEEP OUT OF REACH OF CHILDREN. FIRST AID TREATMENT: If swallowed get prompt medical attention. **WARNING:** This product contains a chemical known to the State of California to cause cancer.

Labelling Text for TITANIUM WHITE, ZINC WHITE, WINSOR EMERALD, UNDERPAINTING WHITE, NAPLES YELLOW: **WARNING:** IRRITATING TO THE GASTROINTESTINAL TRACT IF SWALLOWED. Contains: ZINC. Avoid Ingestion. Wash hands immediately after use. When using do not eat, drink or smoke. Keep out of the reach of children. FIRST AID TREATMENT: If swallowed, get prompt medical attention. For health information only call 1-888-422-7954 Piscataway NJ 08854.

Labelling Text for COBALT VIOLET: **WARNING.** EXPOSURE MAY CAUSE DAMAGE TO THE HEART. Contains: COBALT. Avoid ingestion. Do not spray. Wash hands immediately after use. When using, do not eat, drink or smoke. Keep out of the reach of

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

children. FIRST AID TREATMENT: If swallowed, get prompt medical attention. For health information only call 1-888-422-7954 Piscataway NJ 08854.

Labelling Text for ROSE MADDER GENUINE: **WARNING. EYE IRRITANT.** Contains: SODIUM CARBONATE. Wash hands thoroughly after handling. Do not get in eyes. Keep out of the reach of children. FIRST AID TREATMENT: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. For health information only call 1-888-422-7954 Piscataway NJ 08854.



The following colors carry No ACMI Seal due to CA Prop. 65 or other international warning label requirements.

These items do not require hazard labeling under LHAMA: Bronze, Cobalt Green, Cobalt Turquoise, Cobalt Turquoise Light, Gold, Iridescent White, Brilliant Yellow, Naples Yellow Light, Permanent Green, Permanent Green Deep, Permanent Green Light, Pewter, Renaissance Gold, Titanium White, Winsor Yellow Deep, Cadmium-Free Red Deep, Cadmium Red, Cadmium Orange, Cadmium Lemon, Cadmium Red Deep, Cadmium Scarlet, Cadmium Yellow, Cadmium Yellow Deep, Cadmium Yellow Pale, Cadmium Green Pale, Cobalt Blue, Flake White Hue.

Labelling Text for COBALT GREEN, COBALT TURQUOISE, COBALT TURQUOISE LIGHT, COBALT BLUE, : **WARNING:** This product contains a chemical known to the State of California to cause cancer.

Labelling Text for CADMIUM LEMON, CADMIUM ORANGE, CADMIUM RED, CADMIUM RED DEEP, CADMIUM RED SCARLET, CADMIUM YELLOW, CADMIUM YELLOW DEEP, CADMIUM YELLOW PALE, CADMIUM GREEN PALE: **WARNING: DO NOT SPRAY APPLY** - This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

15.2. International regulations

CANADA

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 02/04/2025
Data sources : Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).
Other information : None.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

WINSOR & NEWTON ARTISTS' OIL COLOUR

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.